

TABLE OF CONTENTS

Area Development District Profiles Intro	 2
ADD Profile Sources	 3
Data Definitions	 4
Risk Factor-Associated Cancers	 5
Behavioral Risk Factor Comparisons	 6
Cancer Rate Comparisons	 8
Individuals ADD Profiles	 9

The Kentucky Cancer Needs Assessment 2025 Area Development District Profiles are a product of the <u>University of Kentucky Markey Cancer Center's Community Impact Office</u>.


These serve as a regular update on the needs and opportunities that exist around the state for reducing Kentucky's cancer burden.

More information on the story of cancer in Kentucky can be found at www.KYCancerNeeds.org and cancerinfocus.uky.edu.

AREA DEVELOPMENT DISTRICT PROFILES

The Commonwealth of Kentucky has 120 counties that are broken into 15 different Area Development Districts (ADDs). ADDs consist of anywhere from 5 to 17 counties in a contiguous geographic region. The mission of the ADDs is to bring local civic and governmental leaders together to accomplish major objectives and take advantage of opportunities which cannot be achieved or realized by those governments acting alone.

The purpose of the following pages is to summarize relevant social determinants of health, behavioral risk factors and cancer incidence and mortality at the ADD level to facilitate coordination in the realm of cancer prevention and control planning. The Kentucky Cancer Program (KCP)—jointly administered by the University of Kentucky and the University of Louisville—has been charged with leading this task in Kentucky.



ADD PROFILE SOURCES

American Community Survey, 5-year Estimates, 2019-2023	Total population and age, sex, race and ethnicity breakdowns; Education completed; Insurance status; On Medicaid; On Disability; Annual unemployment; Living below poverty
County Health Rankings & Roadmaps, 2024	Access to parks and gyms
Health Resources and Services Administration, 2024	Hospitals and clinics
Kentucky Behavioral Risk Factor Survey, 2022	Smoking; Unhealthy weight; Physical inactivity; Unhealthy drinking; Lung, female breast, and colorectal cancer screening rates. Due to issues with questions in 2022, rates of Pap screening in the last three years was estimated from the 2020 KyBRFS.
US Cancer Statistics, 2018-2023	Cancer incidence and mortality rates; Late-stage diagnosis
US Department of Agriculture, Economic Research Service, 2019	Rural-Urban Continuum Codes


DATA DEFINITIONS


Access to healthy foods	Lacking access to healthy foods is defined as residing in a low-income and low food access using vehicle census tract. A low-income census tract is one where (a) the poverty rate is 20 percent or greater; or (b) the median family income is less than or equal to 80 percent of the State-wide median family income; or (c) the tract is in a metropolitan area and has a median family income less than or equal to 80 percent of the metropolitan area's median family income. A census tract is considered low access if (a) at least 100 households are more than one-half mile from the nearest supermarket and have no access to a vehicle; or (b) at least 500 people or 33 percent of the population live more than 20 miles from the nearest supermarket, regardless of vehicle access.
Access to parks and gyms	Individuals are considered to have access to exercise opportunities [parks and gyms] if (a) they reside in a census block that is within a half mile of a park, or (b) they reside in an urban census block that is within one mile of a recreational facility, or (c) they reside in a rural census block that is within three miles of a recreational facility.
Breast, colorectal and lung screen	Individuals meeting the US Preventive Services Task Force recommendations for female breast, colorectal or lung cancer screening
Federally Qualified Health Center	Federally Qualified Health Centers (FQHCs) are community-based health care providers that receive funds from the HRSA Health Center Program to provide primary care services in underserved areas. They must meet a stringent set of requirements, including providing care on a sliding fee scale based on ability to pay and operating under a governing board that includes patients.
Geographic Health Professional Shortage Area	A Geographic Health Professional Shortage Area (HPSA) is a geographic area that has been designated by the Health Resources and Services Administration (HRSA) as having a shortage of health professionals in primary care
Pap screen	Females age 21 to 65 who have not had a hysterectomy and have had a Pap test in the past three years
Physical inactivity	Adults who did not participate in any physical activities for exercise outside of work in the past 30 days
Unhealthy drinking	Males who have had 5+ alcoholic drinks on one occasion in the past 30 days or average 2 alcoholic drinks daily; females who have had 4+ alcoholic drinks on one occasion in the past 30 days or average 1 alcoholic drink daily
Unhealthy weight	Adults with a BMI of 25 or higher


RISK FACTOR-ASSOCIATED CANCERS

A significant association has been shown to exist between risk factors like tobacco use, obesity, and human papillomavirus (HPV) infection and the development of certain types of cancer. Although these risk factors increase an individual's likelihood of being diagnosed with cancer at these sites, exposure does not guarantee an individual will develop cancer. Likewise, people may still develop cancer at these sites without being exposed to the risk factors listed.

Additional information on risk factor-associated cancers can be found at www.cdc.gov/united-states-cancer-statistics/public-use/definitions-risk-factor-associated-cancers.html









BEHAVIORAL RISK FACTOR COMPARISONS

Currently Smoke




Unhealthy Weight




BEHAVIORAL RISK FACTOR COMPARISONS

Physically Inactive




Unhealthy Drinking




CANCER RATE COMPARISONS

All Cancer Sites Incidence



All Cancer Sites Mortality



KENTUCKY CANCER PROGRAM ADMINSTERED BY THE UNIVERSITY OF LOUISVILLE



BARREN RIVER Area Development District (ADD)

2025 EDITION **Population**

316,541

Annual New Cancer Cases 1,826

Social Determinants of Health



17.8%

Barren River

Below Poverty

16.1%

Sentucky

PEOPLE LACKING ACCESS

5%


to healthy foods


to parks and gyms

42%

16% | 29%

8% uninsured





FEDERALLY-QUALIFIED **HEALTH CENTER SITES**

Education Completed

Race and Ethnicity

White NH Black NH Hispanic

Asian NH


Other NH

83.4%

2.2% 3.9%

4.9%

5.6%



to high-speed

broadband

HEALTHCARE SYSTEM



- 11 Hospitals (3 Critical Access Hospitals)
- 11 Federally-Qualified Health Centers
- 21 Rural Health Clinics

COUNTIES

Allen Barren

Butler

Logan

Metcalfe

Monroe Simpson

Warren

Edmonson Hart

Cancer-related Outcomes

CANCER RISK FACTORS





75% unhealthy weight



31% physically inactive



12% unhealthy drinking

SCREENING RATES & LATE-STAGE DIAGNOSIS



21% lung screen

6th of 15 ADDs

75% late stage 11th of 15 ADDs



79% breast screen

4th of 15 ADDs

36% late stage 13th of 15 ADDs



61% colorectal screen

13th of 15 ADDs

67% late stage 15th of 15 ADDs




49% late stage

1st of 15 ADDs


TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	2nd	112.6
Prostate	6th	97.8
Lung	7th	87.8
Colorectal	7th	48.2
Melanoma	8th	27.4


RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	9th	57.9
Female Breast	13th	23.4
Colorectal	9th	18.6
Prostate	3rd	16.9
Pancreas	9th	11.7

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.uky.edu for more detailed data



2025 EDITION

Population 215,803 **Annual New** Cancer Cases 1,348


Social Determinants of Health



48% rural


18% | 28% |

uninsured



FEDERALLY-QUALIFIED

HEALTH CENTER SITES



to high-speed broadband

PEOPLE LACKING ACCESS

to healthy foods


to parks and gyms


HEALTHCARE SYSTEM



- 5 Hospitals (2 Critical Access Hospitals)
- 12 Federally-Qualified Health Centers
- 7 Rural Health Clinics

Race and Ethnicity





CANCER RISK FACTORS





70% unhealthy weight



physically inactive



unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



screen 1st of 15 ADDs

70%

late stage 2nd of 15 ADDs



85% breast screen

3rd of 15 ADDs

30% late stage

3rd of 15 ADDs

68% colorectal screen

2nd of 15 ADDs

65% late stage 13th of 15 ADDs




59% late stage

6th of 15 ADDs


TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	6th	121.3
Prostate	11th	109.1
Lung	3rd	79.2
Colorectal	5th	44.9
Melanoma	10th	28.2


RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	4th	50.6
Female Breast	4th	20.0
Prostate	9th	18.9
Colorectal	5th	15.5
Pancreas	14th	13.2

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

COUNTIES

Daviess Hancock Henderson McLean Ohio Union Webster

AREA DEVELOPMENT DISTRICT (ADD)

2025 EDITION


Population 1,021,980


Annual New Cancer Cases 6,425

Social Determinants of Health




0.8% | 17% | 24% |





FEDERALLY-QUALIFIED HEALTH CENTER SITES

Race and Ethnicity



PEOPLE LACKING ACCESS



to healthy foods



to parks and gyms




to high-speed broadband


HEALTHCARE SYSTEM



- 14 Hospitals (O Critical Access Hospitals)
- **20** Federally-Qualified Health Centers

6 Rural Health Clinics





CANCER RISK FACTORS





73% unhealthy weight



physically inactive



unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



15th of 15 ADDs


72% late stage 7th of 15 ADDs



76% breast screen

7th of 15 ADDs

30% late stage 5th of 15 ADDs



59% late stage

6th of 15 ADDs

Pap screen 4th of 15 ADDs


52% late stage

2nd of 15 ADDs

TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	15th	142.7
Prostate	15th	135.7
Lung	lst	73.9
Colorectal	2nd	42.6
Melanoma	11th	28.5


RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	lst	43.8
Female Breast	3rd	19.9
Prostate	11th	19.4
Colorectal	lst	13.9
Pancreas	13th	12.8

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

COUNTIES **Bullitt**

Henry Jefferson Oldham Shelby Spencer Trimble



LINCOLN TRAIL AREA DEVELOPMENT DISTRICT (ADD)

2025 EDITION

Population 282,693

Annual New Cancer Cases 1,806


Social Determinants of Health



28% rural

16% | 26%

uninsured




PEOPLE LACKING ACCESS



7% to healthy foods



to parks and gyms




HEALTHCARE SYSTEM




- 9 Hospitals (5 Critical Access Hospitals)
- **4** Federally-Qualified Health Centers


25 Rural Health Clinics

Race and Ethnicity



FEDERALLY-QUALIFIED **HEALTH CENTER SITES**





CANCER RISK FACTORS





74% unhealthy weight



physically inactive



14% unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS




73% late stage 9th of 15 ADDs



75% breast screen 8th of 15 ADDs

31% late stage 7th of 15 ADDs



60% late stage 7th of 15 ADDs




58% late stage 5th of 15 ADDs


TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	7th	121.4
Prostate	12th	111.6
Lung	9th	90.2
Colorectal	8th	49.2
Melanoma	14th	31.3


RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	7th	55.8
Female Breast	12th	23.3
Colorectal	11th	19.2
Prostate	8th	17.9
Pancreas	11th	12.2

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

8 COUNTIES

Breckenridge Grayson Hardin LaRue Marion Meade Nelson Washington



PENNYRILE AREA DEVELOPMENT DISTRICT (ADD)

2025 EDITION

Population 214,370

Annual New Cancer Cases 1,319

Social Determinants of Health




55% rural


age 65+


18% | 29%

uninsured



Race and Ethnicity






Below Poverty

5.6% 4.8% Pennyrile

> FEDERALLY-QUALIFIED **HEALTH CENTER SITES**




PEOPLE LACKING ACCESS



8% to healthy foods






HEALTHCARE SYSTEM



- 11 Hospitals (3 Critical Access Hospitals)
- 11 Federally-Qualified Health Centers

38 Rural Health Clinics



CANCER RISK FACTORS





73% unhealthy weight



physically inactive



10% unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



76% late stage 14th of 15 ADDs



85% breast screen

2nd of 15 ADDs

33% late stage 9th of 15 ADDs



68% colorectal screen 3rd of 15 ADDs

64% late stage 12th of 15 ADDs


Pap screen 4th of 15 ADDs

65% late stage 11th of 15 ADDs

TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	11th	125.2
Prostate	8th	106.7
Lung	6th	87.0
Colorectal	6th	45.9
Bladder	12th	23.9


RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY

Incidence		
Pennyrile	491.4	
Kentucky	513.7	
US	444.4	

Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	6th	53.6
Female Breast	5th	21.3
Prostate	6th	17.6
Colorectal	6th	16.0
Pancreas	12th	12.2

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

COUNTIES Caldwell

Christian Crittenden Hopkins Livinston Lyon Muhlenberg Todd Trigg



AREA DEVELOPMENT DISTRICT (ADD) PURCHAS

2025 EDITION


Population 197,157

Annual New Cancer Cases 1,385


Social Determinants of Health



59% | 20% | 27% |



Race and Ethnicity



PEOPLE LACKING ACCESS



to healthy foods




38% to parks and gyms




to high-speed broadband

FEDERALLY-QUALIFIED **HEALTH CENTER SITES**



Education Completed



HEALTHCARE SYSTEM



- 6 Hospitals (1 Critical Access Hospitals)
- **8** Federally-Qualified Health Centers
- 13 Rural Health Clinics

CANCER RISK FACTORS





71% unhealthy weight



physically inactive



unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



11% lung screen

13th of 15 ADDs

73%

late stage 8th of 15 ADDs



71% breast screen

9th of 15 ADDs

28% late stage

2nd of 15 ADDs



71% colorectal screen

1st of 15 ADDs

54% late stage 2nd of 15 ADDs




57% late stage

4th of 15 ADDs


TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Prostate	14th	125.8
Female Breast	9th	124.0
Lung	4th	80.2
Colorectal	lst	41.3
Melanoma	15th	34.5


RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	5th	53.0
Female Breast	7th	21.8
Prostate	7th	17.8
Colorectal	2nd	14.3
Pancreas	8th	11.2

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

8 **COUNTIES** Ballard

Calloway Carlisle Fulton Graves Hickman Marshall McCracken

KENTUCKY CANCER PROGRAM ADMINSTERED BY THE UNIVERSITY OF KENTUCKY



BIG SANDY AREA DEVELOPMENT DISTRICT (ADD)


Population 137,948

Annual New Cancer Cases 1,065


Social Determinants of Health



FEDERALLY-QUALIFIED **HEALTH CENTER SITES**



Race and Ethnicity



PEOPLE LACKING ACCESS



1% to healthy foods



2025 EDITION

to parks and gyms




to high-speed broadband

HEALTHCARE SYSTEM



- 6 Hospitals (2 Critical Access Hospitals)
- **27** Federally-Qualified Health Centers
- 31 Rural Health Clinics



CANCER RISK FACTORS





79% unhealthy weiaht



physically inactive



unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



70% late stage 3rd of 15 ADDs



79% breast screen

5th of 15 ADDs

38% late stage 14th of 15 ADDs



56% colorectal screen

15th of 15 ADDs

60% late stage 8th of 15 ADDs




60% late stage 8th of 15 ADDs


TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	8th	122.1
Lung	15th	112.6
Prostate	4th	95.0
Colorectal	14th	53.4
Uterine	15th	38.4


RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

of 15 ADDs	Rate/100k
13th	72.0
14th	23.8
13th	20.5
2nd	15.9
10th	11.7
	13th 14th 13th 2nd

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

COUNTIES Floyd Johnson Magoffin Martin

Pike



AREA DEVELOPMENT DISTRICT (ADD)

Population 836,158

Annual New Cancer Cases 4,724


Social Determinants of Health




38%

16% | 24% |

6%





PEOPLE LACKING ACCESS



7% to healthy foods



2025 EDITION

to parks and gyms



to high-speed broadband


HEALTHCARE SYSTEM




- 23 Hospitals (5 Critical Access Hospitals)
- **51** Federally-Qualified Health Centers


44 Rural Health Clinics

Race and Ethnicity



FEDERALLY-QUALIFIED **HEALTH CENTER SITES**





CANCER RISK FACTORS





71% unhealthy weight

65%

breast



21% physically inactive

67% colorectal

screen



unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



screen 2nd of 15 ADDs

screen 13th of 15 ADDs

31%

4th of 15 ADDs

58% late stage

Pap screen 4th of 15 ADDs


> **59%** late stage

72% late stage 6th of 15 ADDs

late stage 6th of 15 ADDs


5th of 15 ADDs

7th of 15 ADDs



ALL CANCER SITES INCIDENCE AND MORTALITY

Incidence			
Bluegrass			503.2
Kentucky			513.7
US		44	4.4



TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	14th	135.7
Prostate	13th	120.7
Lung	2nd	74.2
Colorectal	3rd	43.0
Melanoma	12th	29.5

TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	2nd	45.8
Female Breast	8th	22.2
Prostate	5th	17.2
Colorectal	4th	14.8
Pancreas	3rd	10.1

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

COUNTIES

Anderson Bourbon Boyle Clark Estill Fayette Franklin Garrard Harrison Jessamine Lincoln Madison Mercer **Nicholas** Powell Scott

Woodford



BUFFALO

Population 55,910

Annual New Cancer Cases 396

Social Determinants of Health



85% rural

19% | 36%

6% uninsured

On Disability **Below Poverty Annual Unemployment** 21.2% 6.2% 19.8% 4.8% 16.1% **Buffalo Trace Buffalo Trace**

17.7% **Buffalo Trace** Kentucky

PEOPLE LACKING ACCESS



2025 EDITION

to healthy foods

66% to parks and gyms

to high-speed broadband

HEALTHCARE SYSTEM




2 Hospitals (1 Critical Access Hospitals)


13 Federally-Qualified Health Centers


1 Rural Health Clinics

FEDERALLY-QUALIFIED **HEALTH CENTER SITES**



Race and Ethnicity





CANCER RISK FACTORS





75% unhealthy weight



30% physically inactive



unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



lung screen 14th of 15 ADDs


69% late stage 1st of 15 ADDs



86% breast screen

1st of 15 ADDs

28% late stage 1st of 15 ADDs



64% colorectal screen

56% late stage 3rd of 15 ADDs




n/a late stage n/a of 15 ADDs


TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	12th	133.9
Prostate	9th	107.6
Lung	10th	91.0
Colorectal	15th	57.3
Uterine	8th	29.2


RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	10th	58.9
Female Breast	9th	22.8
Prostate	15th	22.1
Colorectal	7th	18.2
Pancreas	lst	9.8

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

COUNTIES Bracken **Fleming** Lewis Mason

Robertson

SUMBERLAND VALLE REA DEVELOPMENT DISTRICT (ADD)


Population 228,835

2025 EDITION


Annual New Cancer Cases 1,564

Social Determinants of Health





FEDERALLY-QUALIFIED **HEALTH CENTER SITES**



Education Completed

Race and Ethnicity

White NH


Black NH

Hispanic Asian NH

Other NH

94.6%

1.3%




PEOPLE LACKING ACCESS



to healthy foods





HEALTHCARE SYSTEM



- 9 Hospitals (1 Critical Access Hospitals)
- **23** Federally-Qualified Health Centers
- **69** Rural Health Clinics

CANCER RISK FACTORS





78% unhealthy weight



physically inactive



8% unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



75% late stage 12th of 15 ADDs



69% breast screen

12th of 15 ADDs

39% late stage 15th of 15 ADDs



61% colorectal screen 12th of 15 ADDs

64%


late stage 11th of 15 ADDs



66% late stage


12th of 15 ADDs

RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY

Incidence			
	Cumberland Valley		529.1
	Kentucky		513.7
	US	444	4.4



TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	3rd	114.7
Lung	14th	111.0
Prostate	2nd	87.9
Colorectal	9th	50.0
Uterine	14th	33.4

TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	15th	74.6
Prostate	13th	20.2
Colorectal	12th	19.4
Female Breast	2nd	19.3
Pancreas	5th	10.7

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

8 COUNTIES Bell

Clay Harlan Jackson Knox I aurel Rockcastle Whitley



AREA DEVELOPMENT DISTRICT (ADD)

2025 EDITION

Population 133,704

Annual New Cancer Cases 988


Social Determinants of Health



55%

21% | 31%

uninsured



PEOPLE LACKING ACCESS



to healthy foods



to parks and gyms




HEALTHCARE SYSTEM




- 2 Hospitals (O Critical Access Hospitals)
- **7** Federally-Qualified Health Centers


10 Rural Health Clinics

FEDERALLY-QUALIFIED **HEALTH CENTER SITES**



Race and Ethnicity





COUNTIES

Boyd

Carter Elliott

Greenup

Lawrence

Cancer-related Outcomes

CANCER RISK FACTORS





78% unhealthy weiaht



physically inactive



10% unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



71% late stage 5th of 15 ADDs



76% breast screen 6th of 15 ADDs

35% late stage 10th of 15 ADDs



colorectal screen 5th of 15 ADDs

54% late stage

1st of 15 ADDs




56% late stage 3rd of 15 ADDs

TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	10th	124.0
Prostate	7th	105.5
Lung	8th	89.3
Colorectal	13th	53.1
Uterine	10th	30.0


RISK-FACTOR ASSOCIATED CANCER INCIDENCE




TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	8th	56.7
Female Breast	6th	21.4
Prostate	12th	20.1
Colorectal	10th	18.8
Pancreas	6th	11.0

ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data



AREA DEVELOPMENT DISTRICT (ADD)

2025 EDITION


Population 85,749

Annual New Cancer Cases 528

Social Determinants of Health



7%



PEOPLE LACKING ACCESS



3% to healthy foods



to parks and gyms



HEALTHCARE SYSTEM




3 Hospitals (1 Critical Access Hospitals)


12 Federally-Qualified Health Centers

13 Rural Health Clinics

Race and Ethnicity



Education Completed





FEDERALLY-QUALIFIED **HEALTH CENTER SITES**

CANCER RISK FACTORS





82% unhealthy weight



31% physically inactive



unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



76% late stage 13th of 15 ADDs



58% breast screen

15th of 15 ADDs

36% late stage 12th of 15 ADDs



63% colorectal screen

10th of 15 ADDs

62% late stage 9th of 15 ADDs




n/a late stage n/a of 15 ADDs


TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	5th	118.4
Lung	12th	96.9
Prostate	3rd	92.5
Colorectal	11th	52.5
Uterine	12th	32.0

RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	12th	68.0
Colorectal	15th	23.5
Female Breast	10th	23.3
Prostate	lst	11.7
Pancreas	4th	10.2

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

COUNTIES Bath Menifee Montgomery Morgan

Rowan




Population 104,618

Annual New Cancer Cases 747


Social Determinants of Health



FEDERALLY-QUALIFIED **HEALTH CENTER SITES**



Race and Ethnicity



PEOPLE LACKING ACCESS



3% to healthy foods



2025 EDITION

to parks and gyms



to high-speed broadband


HEALTHCARE SYSTEM




4 Hospitals (1 Critical Access Hospitals)

32 Federally-Qualified Health Centers

31 Rural Health Clinics





CANCER RISK FACTORS





75% unhealthy weight



physically inactive



unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



lung screen

12th of 15 ADDs

77% late stage 15th of 15 ADDs



69% breast screen

11th of 15 ADDs

35% late stage 11th of 15 ADDs



66% colorectal screen

5th of 15 ADDs

66% late stage 14th of 15 ADDs




n/a late stage n/a of 15 ADDs


TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	lst	107.4
Lung	13th	105.7
Prostate	lst	80.9
Colorectal	12th	52.7
Uterine	13th	32.8


RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	14th	72.6
Female Breast	15th	25.9
Colorectal	14th	22.6
Prostate	14th	21.5
Pancreas	7th	11.1

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

8 COUNTIES Breathitt Knott Lee Leslie Letcher Owsley

Perry

Wolfe


AREA DEVELO

Population **207,755**

Annual New Cancer Cases 1,516

Social Determinants of Health





PEOPLE LACKING ACCESS



5% to healthy foods





HEALTHCARE SYSTEM




9 Hospitals (5 Critical Access Hospitals)


24 Federally-Qualified Health Centers


35 Rural Health Clinics

FEDERALLY-QUALIFIED HEALTH CENTER SITES



Race and Ethnicity





CANCER RISK FACTORS





75% unhealthy weight



35% physically inactive



6% unhealthy drinking

SCREENING RATES & LATE-STAGE DIAGNOSIS



lung screen

10th of 15 ADDs

73% late stage 10th of 15 ADDs



65% breast screen

14th of 15 ADDs

31% late stage 8th of 15 ADDs



58% colorectal screen

14th of 15 ADDs

57% late stage 4th of 15 ADDs




63% late stage

9th of 15 ADDs

TOP 5 INCIDENCE RATES


Cancer Site	of 15 ADDs	Rate/100k
Female Breast	4th	118.0
Prostate	5th	97.7
Lung	11th	91.3
Colorectal	10th	52.1
Uterine	9th	29.6

RISK-FACTOR ASSOCIATED CANCER INCIDENCE




RISK-FACTOR ASSOCIATED CANCER INCIDENCE

ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	11th	61.1
Female Breast	11th	23.3
Colorectal	8th	18.2
Prostate	4th	17.0
Pancreas	15th	13.7

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.uky.edu for more detailed data

COUNTIES
Adair

Casey Clinton Cumberland Green McCreary Pulaski Russell Taylor Wayne

2025 EDITION

Population 471,504

Annual New Cancer Cases 2,807

Social Determinants of Health




16% | 19%

FEDERALLY-QUALIFIED

HEALTH CENTER SITES

5% uninsured



17.7%

PEOPLE LACKING ACCESS



7% to healthy foods



to parks and gyms




to high-speed broadband


HEALTHCARE SYSTEM



- 9 Hospitals (2 Critical Access Hospitals)
- 15 Federally-Qualified Health Centers
- 2 Rural Health Clinics

Race and Ethnicity





CANCER RISK FACTORS





73% unhealthy weight



physically inactive



unhealthy drinkina

SCREENING RATES & LATE-STAGE DIAGNOSIS



36% luna screen

3rd of 15 ADDs

71% late stage 4th of 15 ADDs



breast screen

10th of 15 ADDs

30% late stage 4th of 15 ADDs

64% colorectal screen

7th of 15 ADDs

62% late stage 10th of 15 ADDs




65% late stage

10th of 15 ADDs


TOP 5 INCIDENCE RATES

Cancer Site	of 15 ADDs	Rate/100k
Female Breast	13th	134.9
Prostate	10th	108.4
Lung	5th	86.1
Colorectal	4th	43.4
Uterine	11th	31.8


RISK-FACTOR ASSOCIATED CANCER INCIDENCE



ALL CANCER SITES INCIDENCE AND MORTALITY



Mortality



TOP 5 MORTALITY RATES

Cancer Site	of 15 ADDs	Rate/100k
Lung	3rd	47.3
Prostate	10th	19.4
Female Breast	lst	19.0
Colorectal	3rd	14.8
Pancreas	2nd	10.0

Rates are age adjusted per 100k residents

For ranking "of 15 ADDs": 1st indicates best, 15th indicates worst

visit CancerInFocus.ukv.edu for more detailed data

8 COUNTIES Boone Campbell

Carroll Gallatin Grant Kenton Owen Pendelton

University of Kentucky Markey Cancel Community Impact Office	r Center		
For more information, email CIOData@uky.edu			